

## IPv6 over IPv4 on Linux using 6to4

Written by BiRU

Sunday, 20 November 2016 08:11 -

---

```
#!/bin/bash # set the interface name if=wlan0 # calculate the IPv6 address
$ifconfig=$if | grep "inet addr" | sed -e 's/^.*inet addr://' | sed -e 's/.*$//`'
$ipv4s=`echo $if | tr . " `` ` ipv6=`printf "2002:%02x%02x%02x%02x::1" $if` ` case "$1" in
start)` /sbin/ip tunnel add tun6to4 mode sit ttl 128 remote any local $if /sbin/ip link set dev tun6to4
up /sbin/ip -6 addr add $ipv6/16 dev tun6to4 /sbin/ip -6 route add 2000::/3 via ::192.88.99.1
dev tun6to4 metric 1 # configure firewall /sbin/ip6tables -A INPUT -m state --state
ESTABLISHED,RELATED -j ACCEPT /sbin/ip6tables -A INPUT -j DROP `;; stop)` /sbin/ip
-6 route flush dev tun6to4 /sbin/ip link set dev tun6to4 down /sbin/ip tunnel del tun6to4 # clear
firewall /sbin/ip6tables -F INPUT `;; *) echo "usage: ipv6 {start|stop}" exit 1 esac exit
0
```

This will create a new interface 'tun6to4' which will be used for IPv6.